

# SAFETY DATA SHEET

Date Printed: 05/17/2024 Date Revised: 01/15/2022

#### **SECTION 1. IDENTIFICATION**

Product Identifier: Platinum Ruthenium on Compressed Carbon Black

Product Code: PTRU-ONCCB-01-P

CAS Number: 172515-31-0

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

## **SECTION 2. HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Flammable solids (Category 1), H228
Carcinogenicity (Category 2), H351
For the full text of the H-Statements mentioned in this Section, see Section 16.
2.2 GHS Label elements, including precautionary statements
Pictogram



Signal word Danger Hazard statement(s) H228 Flammable solid. H351 Suspected of causing cancer. Precautionary statement(s) P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P405 Store locked up.
P501 Dispose of contents/ container to an approved waste disposal plant.
2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

3.2 Mixtures Synonyms : 20% Pt, 10% Ru on Vulcan XC72; 30% Pt-Ru/Vulcan Formula : Pt/Ru Hazardous components **Component Classification Concentration** Carbon black CAS-No. EC-No. 1333-86-4 215-609-9 Carc. 2; H351 >= 70 - < 90 % Platinum CAS-No. EC-No. 7440-06-4 231-116-1 >= 20 - < 30 % Ruthenium CAS-No. EC-No. 7440-18-8 231-127-1 Flam. Sol. 1; H228 >= 10 - < 20 % For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4. FIRST AID MEASURES**

4. FIRST AID MEASURES
4.1 Description of first aid measures
General advice
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact
Wash off with soap and plenty of water. Consult a physician.
In case of eye contact
Flush eyes with water as a precaution.
If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5. FIREFIGHTING MEASURES**

5.1 Extinguishing media
Suitable extinguishing media
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
5.2 Special hazards arising from the substance or mixture
Carbon oxides, Ruthenium oxide
5.3 Advice for firefighters
Wear self-contained breathing apparatus for firefighting if necessary.
5.4 Further information
Use water spray to cool unopened containers.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate

ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing

and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed

containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing

and transfer to a container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

## SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No

smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.Keep in a dry place.7.3 Specific end use(s)Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Component: Carbon Black CAS: 1333-86-4 Value / Control Parameters / Basis TWA / 3.500000 mg/m3 / USA. ACGIH Threshold Limit Values (TLV) Remarks: Adopted values or notations enclosed are those for which changes are proposed in the NIC - See Notice of Intended Changes (NIC). Not classifiable as a human carcinogen TWA / 3.500000 mg/m3 / USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants TWA / 3.500000 mg/m3 / USA. NIOSH Recommended Exposure Limits TWA / 0.100000 mg/m3 / USA. NIOSH Recommended Exposure Limits Potential Occupational Carcinogen Carbon black in presence of polycyclic aromatic hydrocarbons (PAHs) See Appendix C See Appendix A TWA / 3.000000 mg/m3 / USA. ACGIH Threshold Limit Values (TLV) Bronchitis Confirmed animal carcinogen with unknown relevance to humans. **Component: Platinum** CAS: 7440-06-4 Value / Control Parameters / Basis TWA / 1.000000 mg/m3 / USA. ACGIH Threshold Limit Values (TLV) Upper Respiratory Tract irritation Asthma TWA / 1.000000 mg/m3 / USA. NIOSH Recommended Exposure Limits TWA / 0.002000 mg/m3 / USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants TWA / 1.000000 mg/m3 / USA. ACGIH Threshold Limit Values (TLV) Upper Respiratory Tract irritation Asthma Hazardous components without workplace control parameters 8.2 Exposure controls Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and drv hands. **Body Protection** 

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- 9.1 Information on basic physical and chemical properties
- a) Appearance
- Form: powder
- Colour: black
- b) Odor: No data available
- c) Odor Threshold: No data available
- d) pH: No data available
- e) Melting point/freezing point: No data available
- f) Initial boiling point and boiling range: No data available
- g) Flash point: No data available
- h) Evaporation rate: No data available
- i) Flammability (solid, gas): No data available
- j) Upper/lower flammability or explosive limits: No data available
- k) Vapor pressure: No data available
- I) Vapor density: No data available
- m) Relative density: No data available
- n) Water solubility: No data available
- o) Partition coefficient: noctanol/water: No data available
- p) Auto-ignition temperature: > 140 °C (> 284 °F)
- q) Decomposition temperature: No data available
- r) Viscosity: No data available
- s) Explosive properties: No data available
- t) Oxidizing properties: No data available

## SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity
No data available
10.2 Chemical stability
Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions
No data available
10.4 Conditions to avoid
Heat, flames and sparks. Extremes of temperature and direct sunlight.
10.5 Incompatible materials
Oxidizing agents, Alcohols, organic solvents
10.6 Hazardous decomposition products

#### SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects Acute toxicity No data available Inhalation: No data available Dermal: No data available No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity IARC: 2B - Group 2B: Possibly carcinogenic to humans (Carbon black) NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity No data available No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Additional Information **RTECS:** Not available To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12. ECOLOGICAL INFORMATION**

12.1 Toxicity
No data available
12.2 Persistence and degradability:
No data available
12.3 Bioaccumulative potential:
No data available
12.4 Mobility in soil:
No data available
12.5 Results of PBT and vPvB assessment:
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## **SECTION 13. DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods
Product
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this
material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a
licensed professional waste disposal service to dispose of this material.
Contaminated packaging
Dispose of as unused product.

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US) UN number: 1325 Class: 4.1 Packing group: II Proper shipping name: Flammable solids, organic, n.o.s. (Carbon black, Platinum, Ruthenium) Reportable Quantity (RQ): Poison Inhalation Hazard: No IMDG UN number: 1325 Class: 4.1 Packing group: II EMS-No: F-A, S-G Proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (Carbon black, Platinum, Ruthenium) IATA UN number: 1325 Class: 4.1 Packing group: II Proper shipping name: Flammable solid, organic, n.o.s. (Carbon black, Platinum, Ruthenium)

## SECTION 15. REGULATORY INFORMATION

SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. SARA 311/312 Hazards Fire Hazard, Chronic Health Hazard Massachusetts Right To Know Components Carbon black CAS-No. 1333-86-4 **Revision Date** 1991-07-01 Platinum 7440-06-4 1993-04-24 Pennsylvania Right To Know Components Carbon black CAS-No. 1333-86-4

**Revision Date** 1991-07-01 Platinum 7440-06-4 1993-04-24 Ruthenium 7440-18-8 New Jersey Right To Know Components Carbon black CAS-No. 1333-86-4 **Revision Date** 1991-07-01 Platinum 7440-06-4 1993-04-24 Ruthenium 7440-18-8 California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer. Carbon black CAS-No. 1333-86-4 **Revision Date** 2003-02-21

#### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.