

# SAFETY DATA SHEET

Date Printed: 05/06/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (3N) 99.9% Manganese Nitrate Solution

**Product Code:** MN-NAT-03-SOL

**CAS Number:** 10377-66-9

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS03 Flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidizer.

GHS08 Health hazard

STOT RE 2 H373 May cause damage to the brain through prolonged or repeated exposure. Route of exposure: Inhalative.

GHS05 Corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Hazards not otherwise classified No data available.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)





Hazard pictograms

GHS03 GHS05 GHS07 GHS08

Signal word Danger

Hazard-determining components of labeling:

Manganese(II) nitrate

Hazard statements

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to the brain through prolonged or repeated exposure. Route of exposure: Inhalative.

Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects

E - Corrosive material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH

FIRE

REACTIVITY

3

0

2

Health (acute effects) = 3

Flammability = 0

Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment:

PBT: N/A.

vPvB: N/A.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

Dangerous components:

10377-66-9 Manganese(II) nitrate

Ox. Sol. 2, H272; STOT RE 2, H373; Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302 50.0%

Additional information None known.

## **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

If inhaled:

Supply fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact: Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed: Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No information available.

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

For safety reasons unsuitable extinguishing media Halocarbon extinguisher

Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

If this product is involved in a fire, the following can be released:

Nitrogen oxides (NO<sub>x</sub>)

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleanup:

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Absorb with liquid-binding material.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure adequate ventilation.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store with organic materials.

Store away from metal powders.

Store away from strong bases.

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s) No information available.

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

10377-66-9 Manganese(II) nitrate (50.0%)

PEL (USA) Ceiling limit value: 5 mg/m<sup>3</sup>

as Mn

REL (USA) Short-term value: 3 mg/m<sup>3</sup>

Long-term value: 1 mg/m<sup>3</sup>

as Mn

TLV (USA) Long-term value: 0.02\* 0.1\* mg/m<sup>3</sup>

as Mn; \*respirable \*\*inhalable fraction

EL (Canada) Long-term value: 0.2 mg/m<sup>3</sup>

as Mn; R

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical general protective and industrial hygiene measures for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with acid gas cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are

appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) No data available.

Eye protection:

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Liquid

Color: Pink

Odor: Amine-like

Odor threshold: No data available.

pH-value at 20 °C (68 °F): 1 (approx)

Melting point/range: No data available.

Boiling point/range: No data available.

Sublimation temperature / start: No data available.

Flammability (solid, gas): No data available.

Ignition temperature: No data available.

Decomposition temperature: No data available.

Auto igniting: Product is not selfigniting.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available.

Upper: No data available.

Vapor pressure at 20 °C (68 °F): 23 hPa (17 mm Hg)

Density at 20 °C (68 °F): 1.54 g/cm<sup>3</sup> (12.851 lbs/gal)

Relative density No data available.

Vapor density No data available.

Evaporation rate No data available.

Solubility in / Miscibility with

Water: Fully miscible  
Partition coefficient (n-octanol/water): No data available.  
Viscosity:  
Dynamic: No data available.  
Kinematic: No data available.  
Solvent content:  
Organic solvents: 0.0 %  
Solids content: 50.0 %  
Other information No information available.

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity May intensify fire; oxidizer.  
Chemical stability Stable under recommended storage conditions.  
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.  
Possibility of hazardous reactions  
Water reacts violently with alkali metals.  
Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.  
Reacts with reducing agents  
Reacts with flammable substances  
Conditions to avoid No information available.  
Incompatible materials:  
Flammable substances  
Reducing agents  
Bases  
Organic materials  
Metal powders  
Hazardous decomposition products:  
Nitrogen oxides  
Metal oxide fume

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects  
Acute toxicity:  
Harmful if swallowed.  
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.  
LD/LC50 values that are relevant for classification: No data  
Skin irritation or corrosion: Causes severe skin burns.  
Eye irritation or corrosion: Causes serious eye damage.  
Sensitization: No sensitizing effects known.  
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.  
Carcinogenicity:  
EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity: N/A

Specific target organ system toxicity - repeated exposure:

May cause damage to the brain through prolonged or repeated exposure. Route of exposure: Inhalative.

Specific target organ system toxicity - single exposure: N/A

Aspiration hazard: N/A

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

---

## SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility in soil: No information available.

Ecotoxicological effects:

Remark: Harmful to aquatic organisms

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Harmful to aquatic organisms

Results of PBT and vPvB assessment:

PBT: N/A.

vPvB: N/A.

Other adverse effects No information available.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation: Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

---

## SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA UN3093

UN proper shipping name  
DOT Corrosive liquids, oxidizing, n.o.s. (Manganese nitrate)  
IMDG, IATA CORROSIVE LIQUID, OXIDIZING, N.O.S. (MANGANESE NITRATE)  
Transport hazard class(es)  
DOT  
Class 8 Corrosive substances.  
Label 8+6.1  
Class 8 (CO1) Corrosive substances  
Label 8+6.1  
IMDG, IATA  
Class 8 Corrosive substances.  
Label 8+6.1  
Packing group  
DOT, IMDG, IATA II  
Environmental hazards:  
Marine pollutant (IMDG): No  
Special precautions for user Warning: Corrosive substances  
EMS Number: F-A,S-Q  
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A.  
Transport/Additional information:  
DOT  
Marine Pollutant (DOT): No  
UN "Model Regulation": UN3093, Corrosive liquids, oxidizing, n.o.s. (Manganese nitrate), 8 (6.1), II

---

## SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture  
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)  
Hazard pictograms  
GHS03 GHS05 GHS07 GHS08  
Signal word Danger  
Hazard-determining components of labeling:  
Manganese(II) nitrate  
Hazard statements  
H272 May intensify fire; oxidizer.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H373 May cause damage to the brain through prolonged or repeated exposure. Route of exposure: Inhalative.  
Precautionary statements  
P221 Take any precaution to avoid mixing with combustibles.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.  
National regulations  
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.



All components of this product are listed on the Canadian Domestic Substances List (DSL).  
SARA Section 313 (specific toxic chemical listings)  
10377-66-9 Manganese(II) nitrate 50.0%  
California Proposition 65  
Prop 65 - Chemicals known to cause cancer  
None of the ingredients are listed.  
Prop 65 - Developmental toxicity  
None of the ingredients are listed.  
Prop 65 - Developmental toxicity, female  
None of the ingredients are listed.  
Prop 65 - Developmental toxicity, male  
None of the ingredients are listed.  
Information about limitation of use: For use only by technically qualified individuals.  
Other regulations, limitations and prohibitive regulations  
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.  
None of the ingredients are listed.  
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.  
None of the ingredients is listed.  
Annex XIV of the REACH Regulations (requiring Authorisation for use)  
None of the ingredients is listed.  
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.