

# SAFETY DATA SHEET

Date Printed: 05/18/2024 Date Revised: 01/15/2022

## **SECTION 1. IDENTIFICATION**

Product Identifier: (2N) 99% Cobalt Oxide Nanoparticles

Product Code: CO23-OX-02-NP

CAS Number: 1308-06-1

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

# **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Respiratory sensitisation(Category 1), H334 Skin sensitisation(Category 1), H317 Carcinogenicity(Category 1A), H350 Acute aquatic toxicity(Category 3), H402 Chronic aquatic toxicity(Category 3), H412

GHS Label elements, including precautionary statements Pictogram



Signal word Danger Hazard statement(s) H317 May cause an allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H350 May cause cancer. H412 Harmful to aquatic life with long lasting effects. Precautionary statement(s) P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P285 In case of inadequate ventilation wear respiratory protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant. Hazards not otherwise classified (HNOC) or not covered by GHS-none

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances Formula: Co3O4 Molecular weight: 240.80 g/mol CAS-No.: 1308-06-1 Component Tricobalt tetraoxide Classification Resp. Sens.1; Aquatic Acute 3; Aquatic Chronic 3; H334, H412 Concentration <=100% Component Nickel monoxide Classification Skin Sens.1; Carc.1A; STOT RE1; Aquatic Chronic 4; H317, H350, H372, H413 Concentration

#### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures General advice Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact Wash off with soap and plenty of water. Consult a physician. In case of eye contact Flush eyes with water as a precaution. If swallowed Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11 Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media Suitable extinguishing media Use water spray, alcohol resistant foam, dry chemical or carbon dioxide. Special hazards arising from the substance or mixture Cobalt/cobalt oxides Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary. Further information No data available

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8. Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. Reference to other sections For disposal see section 13.

# SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

hygroscopic Keep in a dry place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nature latex/chloroprene

Minimum layer thickness: 0.6 mm

Break through time: > 480 min

Splash contact

Material: Nature latex/chloroprene

Minimum layer thickness: 0.6 mm

Break through time: > 480 min

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection** 

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering

controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties Appearance Form: Powder or solid in various forms Colour: black Odor No data available Odor Threshold No data available pН No data available Melting point/freezing point Melting point/range: 895 °C (1,643 °F)-lit. Initial boiling point and boiling range No data available Flash point No data available Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive limits No data available Vapor pressure No data available Vapor density No data available Relative density 6.11 g/mL at 25 °C (77 °F) Water solubility 0.00156 g/l at 20 °C (68 °F)-OECD Test Guideline 105-slightly soluble Partition coefficient: n-octanol/water No data available Auto-ignition temperature No data available Decomposition temperature > 900 °C (> 1,652 °F)-Viscositv No data available Explosive properties No data available Oxidizing properties No data available Other safety information Bulk density

## SECTION 10. STABILITY AND REACTIVITY

Reactivity No data available Chemical stability Stable under recommended storage conditions. Possibility of hazardous reactions No data available Conditions to avoid Avoid moisture. Incompatible materials Reducing agents Hazardous decomposition products Other decomposition products-No data available In the event of fire: see section 5

# SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity LD50 Oral-Rat-male and female-> 5,000 mg/kg(OECD Test Guideline 401) LC50 Inhalation-Rat-4 h-> 5.06 mg/l(OECD Test Guideline 436) LD50 Dermal-Rat-male and female-> 2,000 mg/kg(OECD Test Guideline 402) No data available Skin corrosion/irritation Skin-Rat Result: No skin irritation Serious eye damage/eye irritation Eyes-Rabbit Result: No eye irritation (OECD Test Guideline 405) Respiratory or skin sensitisation in vivo assay-Mouse Result: Does not cause skin sensitisation. (OECD Test Guideline 429) Germ cell mutagenicity No data available in vitro assay mouse lymphoma cells **Result:** negative **OECD Test Guideline 475** Rat-male and female **Result: negative** Carcinogenicity IARC: 1-Group 1: Carcinogenic to humans(Nickel monoxide) NTP: Known to be human carcinogen(Nickel monoxide) OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity No data available Specific target organ toxicity -single exposure No data available Specific target organ toxicity -repeated exposure No data available Aspiration hazard No data available Additional Information **RTECS:** Not available Effects due to ingestion may include:, Burning pain in mouth, throat and stomach., Prolonged or repeated exposure may cause:, Fatigue, Cardiac irregularities, Convulsions, Vomiting. Stomach-Irregularities-Based on Human Evidence Stomach-Irregularities-Based on Human Evidence Stomach-Irregularities-Based on Human Evidence(Nickel monoxide)

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity Toxicity to daphnia and other aquatic invertebrates EC50-Daphnia magna (Water flea)-> 136 mg/l-48 h Toxicity to algae EC50-Pseudokirchneriella subcapitata (green algae)-88 mg/l-72 h Persistence and degradability No data available Bioaccumulative potential Mobility in soil No data available Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted Other adverse effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

# SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Product Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Contaminated packaging Dispose of as unused product.

# SECTION 14. EXPOSURE CONTROLS/PERSONAL PROTECTION

DOT (US)

## **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components The following components are subject to reporting levels established by SARA Title III, Section 313: Nickel monoxide CAS-No. 1313-99-1 **Revision Date** 1993-04-24 Tricobalt tetraoxide 1308-06-1 Massachusetts Right To Know Components Nickel monoxide CAS-No. 1313-99-1 **Revision Date** 1993-04-24 California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer. Nickel monoxide CAS-No. 1313-99-1

#### **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.