

# SAFETY DATA SHEET

Date Printed: 05/19/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** >97% Zinc 3,5-di-tert-butylsalicylate

**Product Code:** ZN-OMX-017

**CAS Number:** 42405-40-3

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

"

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids(Category 1), H228

Acute toxicity, Oral(Category 4), H302

Acute aquatic toxicity(Category 1), H400

Chronic aquatic toxicity(Category 1), H410

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H228

Flammable solid.

H302

Harmful if swallowed.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P312

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330

Rinse mouth.

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P391

Collect spillage.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS-none

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

Synonyms: 3,5-Di-tert-butylsalicylic acidzinc salt

Formula: C<sub>30</sub>H<sub>42</sub>O<sub>6</sub>Zn

Molecular weight: 564.04 g/mol

CAS-No.: 42405-40-3

EC-No.: 403-360-0

Index-No.: 030-007-00-4

---

### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition -No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities  
Keep container tightly closed in a dry and well-ventilated place.  
Keep in a dry place.  
Specific end use(s)  
Apart from the uses mentioned in section 1 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters  
Components with workplace control parameters  
Contains no substances with occupational exposure limit values.  
Exposure controls  
Appropriate engineering controls  
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.  
Personal protective equipment  
Eye/face protection  
Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).  
Skin protection  
Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.  
Body Protection  
Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Respiratory protection  
Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).  
Control of environmental exposure  
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties  
Appearance  
Form: powder  
Colour: white  
Odor  
No data available  
Odor Threshold  
No data available  
pH  
No data available  
Melting point/freezing point

Melting point/range: 256 °C (493 °F)-dec.  
Initial boiling point and boiling range  
> 265 °C (> 509 °F) at 1,013 hPa (760 mmHg)  
Flash point  
No data available  
Evaporation rate  
No data available  
Flammability (solid, gas)  
No data available  
Upper/lower flammability or explosive limits  
No data available  
Vapor pressure  
No data available  
Vapor density  
No data available  
Relative density  
No data available  
Water solubility  
0.018 g/l at 20 °C (68 °F)  
Partition coefficient: n-octanol/water  
log Pow: 2.32 at 18 °C (64 °F)  
Auto-ignition temperature  
> 400 °C (> 752 °F)  
Decomposition temperature  
No data available  
Viscosity  
No data available  
Explosive properties  
No data available  
Oxidizing properties  
No data available  
Other safety information  
Surface tension  
60.4 mN/m at 20 °C (68 °F)

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
No data available  
Chemical stability  
Stable under recommended storage conditions.  
Possibility of hazardous reactions  
No data available  
Conditions to avoid  
Heat, flames and sparks. Extremes of temperature and direct sunlight.  
Incompatible materials  
Strong oxidizing agents  
Hazardous decomposition products  
Hazardous decomposition products formed under fire conditions.-Carbon oxides, Zinc/zinc oxides  
Other decomposition products-No data available  
In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

LD50 Oral-Rat-male and female-1,800 mg/kg

(OECD Test Guideline 401)

Inhalation:

No data available

LD50 Dermal-Rat-male and female-> 2,000 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin-Rabbit

Result: No skin irritation

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes-Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitisation

Maximisation Test-Guinea pig

Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 406)

Germ cell mutagenicity

in vitro assay

S. typhimurium

Result: negative

Mutagenicity (micronucleus test)

Mouse

Result: negative

Carcinogenicity

IARC:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity -single exposure

No data available  
Specific target organ toxicity -repeated exposure  
No data available  
Aspiration hazard  
No data available  
Additional Information  
RTECS: Not available  
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity  
Toxicity to fish  
semi-static test  
LC50-Onchorhynchus clarki-5.5 mg/l-96 h  
Toxicity to daphnia and other aquatic invertebrates  
static test  
EC50-Daphnia (water flea)-0.73 mg/l-48 h  
Toxicity to algae  
EC50-Selenastrum capricornutum (green algae)-6.7 mg/l-72 h  
(OECD Test Guideline 201)  
Persistence and degradability  
Biodegradability  
aerobic-Exposure time 28 d  
Result: 15 %-Not readily biodegradable.  
(OECD Test Guideline 301D)  
Bioaccumulative potential  
No data available  
Mobility in soil  
No data available  
Results of PBT and vPvB assessment  
PBT/vPvB assessment not available as chemical safety assessment not required/not conducted  
Other adverse effects  
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.  
No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods  
Product  
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.  
Offer surplus and non-recyclable solutions to a licensed disposal company.  
Contaminated packaging  
Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1325

Class: 4.1

Packing group: III

Proper shipping name: Flammable solids, organic, n.o.s.(Zinc 3,5-di-tert-butylsalicylate)

Reportable Quantity(RQ):

Marine pollutant: yes

Poison Inhalation Hazard: No

IMDG

UN number: 1325

Class: 4.1

Packing group: III

EMS-No: F-A, S-G

Proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S.(Zinc 3,5-di-tert-butylsalicylate)

Marine pollutant: yes

IATA

UN number: 1325

Class: 4.1

Packing group: III

Proper shipping name: Flammable solid, organic, n.o.s.(Zinc 3,5-di-tert-butylsalicylate)

---

## SECTION 15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Zinc 3,5-di-tert-butylsalicylate

CAS-No.

42405-40-3

Revision Date

2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Zinc 3,5-di-tert-butylsalicylate

CAS-No.

42405-40-3

Revision Date

2007-07-01

New Jersey Right To Know Components

Zinc 3,5-di-tert-butylsalicylate

CAS-No.

42405-40-3

Revision Date

2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm..



---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.