

# SAFETY DATA SHEET

Date Printed: 05/17/2024 Date Revised: 01/15/2022

#### **SECTION 1. IDENTIFICATION**

Product Identifier: (2N) 99% Thallium Bromo-Chloride

Product Code: TL-BRCL-02-XTAL

CAS Number: N/A

Relevant identified uses of the substance: Scientific research and development

Supplier details:

**American Elements** 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

## **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300

Acute toxicity, Inhalation (Category 2), H330

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 2), H401

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS Label elements, including precautionary statements

Pictogram







Signal word Danger

Hazard statement(s)

H300 + H330 Fatal if swallowed or if inhaled

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P284 Wear respiratory protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substances

Thallium Bromochloride

## **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eve contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

No data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

#### **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration

before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of

contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection** 

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

- a) Appearance Form: solid
- b) Odour No data available
- c) Odour Threshold No data available
- d) pH No data available
- e) Melting point/freezing point

Melting point/range: No data available

f) Initial boiling point and boiling range

No data available

- g) Flash point Not applicable
- h) Evaporation rate No data available
- i) Flammability (solid, gas) No data available
- j) Upper/lower flammability or explosive limits

No data available

- k) Vapour pressure No data available
- I) Vapour density No data available
- m) Relative density No data available
- n) Water solubility No data available
- o) Partition coefficient: noctanol/water

No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

Other safety information

No data available

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Avoid moisture.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, thallium oxides

Other decomposition products - No data available

In the event of fire: see section 5

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - 24 mg/kg Inhalation: No data available Dermal: No data available

No data available Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Hamster

Embryo

Morphological transformation.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Developmental Toxicity - Rat - Oral

Specific Developmental Abnormalities: Musculoskeletal system.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard No data available Additional Information RTECS: XG4200000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., The most characteristic symptom of thallium exposure is alopecia (loss of hair). Cutaneous effects may include dry, scaly skin and impairment of nail growth often resulting in the appearance of crescent-shaped strips across fingernails and toenails (Mees' line). Other symptoms in acute poisoning relate chiefly to the gastrointestinal tract, nervous system, skin, eyes, and cardiovascular system. Acute poisoning results in swelling of the feet and legs, arthralgia, vomiting, insomnia, hyperesthesia and paresthesia of the hands and feet, mental confusion, polyneuritis with severe pain in the legs and loins, partial paralysis of the legs, angina-like pains, nephritis, wasting and weakness, and lymphocytosis and eosinophilia. In chronic poisoning, central and peripheral nervous system abnormalities may persist including ataxia, tremor, incoordination, paralysis of extremities, endocrine disorders, memory loss, and psychoses may develop.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Toxicity to algae Growth inhibition EC50 - Ditylum brightwellii - 0.33 mg/l - 5 d

Persistence and degradability

Biodegradability Result: - Not readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Contaminated packaging

Dispose of as unused product.

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 1707 Class: 6.1 Packing group: II

Proper shipping name: Thallium compounds, n.o.s. (Thallium Bromochloride)

Reportable Quantity (RQ): 100 lbs

Marine pollutant:yes

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1707 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: THALLIUM COMPOUND, N.O.S. (Thallium Bromochloride)

Marine pollutant: yes Marine pollutant: yes

IATA

UN number: 1707 Class: 6.1 Packing group: II

Proper shipping name: Thallium compound, n.o.s. (Thallium Bromochloride)

#### **SECTION 15. REGULATORY INFORMATION**

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Thallium Bromochloride

**Revision Date** 

2008-11-03

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Thallium Bromochloride

**Revision Date** 

2008-11-03

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Thallium Bromochloride

**Revision Date** 

2008-11-03

Pennsylvania Right To Know Components

Thallium Bromochloride

**Revision Date** 

2008-11-03

New Jersey Right To Know Components

Thallium Bromochloride

**Revision Date** 

2008-11-03

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED TORRESTER DEPARTER COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED

TEL. 310-208-0551 | FAX 310-208-0351 | customerservice@americanelements.com