

SAFETY DATA SHEET

Date Printed: 05/15/2024 Date Revised: 01/15/2022

SECTION 1. IDENTIFICATION

Product Identifier: (2N) 99% Zirconium(IV) Nitrate

Product Code: ZR4-NAT-02

CAS Number: 13746-89-9

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW Oxidizing. Corrosive. Contact with combustible material may cause fire. Causes burns. HMIS RATING HEALTH: 3 FLAMMABILITY: 3 REACTIVITY: 0 NFPA RATING HEALTH: 3 FLAMMABILITY: 3 REACTIVITY: 0 For additional information on toxicity, please refer to Section 11.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Name CAS # SARA 313 ZIRCONIUM(IV) NITRATE 13746-89-9 No Formula N4O12ZR Synonyms Dusicnan zirkonicity (Czech) * Nitric acid, zirconium(4+) salt (8CI,9CI) * Tetranitratozirconium * Zirconium tetranitrate RTECS Number: ZH8750000

SECTION 4. FIRST AID MEASURES

ORAL EXPOSURE If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately. INHALATION EXPOSURE If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. DERMAL EXPOSURE In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician. EYE EXPOSURE In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

SECTION 5. FIREFIGHTING MEASURES

FLASH POINT N/A AUTOIGNITION TEMP N/A FLAMMABILITY N/A EXTINGUISHING MEDIA Suitable: Carbon dioxide, dry chemical powder, or appropriate foam. Unsuitable: Do not use water. FIREFIGHTING Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions. Contact with other material may cause fire. Specific Method(s) of Fire Fighting: Use water spray to cool fire-exposed containers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL Evacuate area. PROCEDURE(S) OF PERSONAL PRECAUTION(S) Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. METHODS FOR CLEANING UP Sweep up, place in a bag and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

SECTION 7. HANDLING AND STORAGE

HANDLING User Exposure: Do not breathe dust. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure. STORAGE Suitable: Keep tightly closed. Keep away from combustible materials, heat, sparks, and open flame. Store in a cool dry place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS Safety shower and eye bath. Use only in a chemical fume hood. PERSONAL PROTECTIVE EQUIPMENT Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand: Compatible chemical-resistant gloves. Eye: Chemical safety goggles. **GENERAL HYGIENE MEASURES** Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling. **EXPOSURE LIMITS, RTECS** Country Source Type Value USA ACGIH TWA 5 MG(ZR)/M3 STEL 10 MG(ZR)/M3 USA MSHA Standard-air TWA 5 MG(ZR)/M3 USA OSHA. PEL 8H TWA 5 MG(ZR)/M3 New Zealand OEL Remarks: check ACGIH TLV

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State: Solid Property Value At Temperature or Pressure Molecular Weight 339,2000 AMU pH N/A BP/BP Range N/A BP/MP Range N/A Freezing Point N/A Vapor Pressure N/A Vapor Density N/A Saturated Vapor Conc. N/A Bulk Density N/A Odor Threshold N/A Volatile% N/A VOC Content N/A Water Content N/A Solvent Content N/A **Evaporation Rate N/A** Viscosity N/A Surface Tension N/A Partition Coefficient N/A Decomposition Temp. N/A Flash Point N/A Explosion Limits N/A Flammability N/A Autoignition Temp N/A Refractive Index N/A **Optical Rotation N/A** Miscellaneous Data N/A Solubility N/A N/A = not available

SECTION 10. STABILITY AND REACTIVITY

STABILITY Stable: Unstable. Materials to Avoid: Strong acids, Strong bases, Strong oxidizing agents, Amines, Polymerizing initiators, Reducing agents, Finely powdered metals. HAZARDOUS DECOMPOSITION PRODUCTS Hazardous Decomposition Products: Nitrogen oxides, Zirconium oxides. HAZARDOUS POLYMERIZATION Hazardous Polymerization: Will not occur

SECTION 11. TOXICOLOGICAL INFORMATION

ROUTE OF EXPOSURE Skin Contact: Causes burns. Skin Absorption: May be harmful if absorbed through the skin. Eye Contact: Causes burns. Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Ingestion: May be harmful if swallowed. SIGNS AND SYMPTOMS OF EXPOSURE Inhalation may result in spasm, inflammation and edema of the larynxand bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. TOXICITY DATA Oral Rat 2290,000000 mg/kg LD50 ACGIH CARCINOGEN LIST Rating: A4

SECTION 12. ECOLOGICAL INFORMATION

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Proper Shipping Name: Nitrates, inorganic, n.o.s. UN#: 1477 Class: 5.1 Packing Group: Packing Group II Hazard Label: Oxidizer PIH: Not PIH IATA Proper Shipping Name: Nitrates, inorganic, n.o.s. IATA UN Number: 1477 Hazard Class: 5.1 Packing Group: II

SECTION 15. REGULATORY INFORMATION

EU ADDITIONAL CLASSIFICATION Symbol of Danger: O-C Indication of Danger: Oxidizing. Corrosive. R: 8-34 Risk Statements: Contact with combustible material may cause fire. Causes burns. S: 17-45-26-36/37/39 Safety Statements: Keep away from combustible material. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eve/face protection. US CLASSIFICATION AND LABEL TEXT Indication of Danger: Oxidizing. Corrosive. Risk Statements: Contact with combustible material may cause fire. Causes burns. Safety Statements: Keep away from combustible material. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves, and eve/face protection. UNITED STATES REGULATORY INFORMATION SARA LISTED: No **TSCA INVENTORY ITEM: Yes** CANADA REGULATORY INFORMATION WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR. DSL: No NDSL: Yes

16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.