

# SAFETY DATA SHEET

**Date Printed:** 05/20/2024 **Date Revised:** 01/15/2022

### **SECTION 1. IDENTIFICATION**

Product Identifier: (5N) 99.999% Triisopropylgallium

**Product Code: TIP-GA-05** 

CAS Number: 54514-59-9

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551

Fax: +1 310-208-0351

Emergency telephone number:

+1 800-424-9300

### **SECTION 2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW** 

Pyrophoric (USA) Highly Flammable (EU).

Reacts violently with water, liberating extremely flammable gases.

Spontaneously flammable in air.

HMIS RATING HEALTH: 0

FLAMMABILITY: 4 REACTIVITY: 4

SPECIAL HAZARD(S): Water reactive

NFPA RATING HEALTH: 0

FLAMMABILITY: 4
REACTIVITY: 4

SPECIAL HAZARD(S): Water reactive

For additional information on toxicity, please refer to Section 11.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance Name CAS # SARA 313

### **SECTION 4. FIRST AID MEASURES**

#### **ORAL EXPOSURE**

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

INHALATION EXPOSURE

If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

**DERMAL EXPOSURE** 

In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

EYE EXPOSURE

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

## **SECTION 5. FIREFIGHTING MEASURES**

FLAMMABLE HAZARDS Flammable Hazards: Yes Pyrophoric/Autoignition: Yes

CONDITIONS OF FLAMMABILITY Catches fire if exposed to air.

**FLASH POINT** 

N/A

**AUTOIGNITION TEMP** 

N/A

**FLAMMABILITY** 

N/A

**EXTINGUISHING MEDIA** 

Suitable: Carbon dioxide, dry chemical powder, or appropriate

foam.

Unsuitable: Do not use water.

**FIREFIGHTING** 

Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Pyrophoric material. Emits toxic fumes under

fire conditions. Water reactive material.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL Evacuate area. Shut off all sources of ignition. Use nonsparking tools.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Cover with dry-lime, sand, or soda ash. Place in covered containers using non-sparking tools and transport outdoors. Ventilate area and wash spill site after material pickup is complete.

## **SECTION 7. HANDLING AND STORAGE**

User Exposure: Avoid contact with eyes, skin, and clothing. Avoid breathing vapor. Avoid prolonged or repeated exposure.

**STORAGE** 

Suitable: Keep tightly closed. Handle and store under argon. Incompatible Materials: Do not allow contact with water

SPECIAL REQUIREMENTS Handle and store under inert gas.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**ENGINEERING CONTROLS** 

Safety shower and eye bath. Use nonsparking tools. Mechanical exhaust required.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand: Compatible chemical-resistant gloves.

Eye: Chemical safety goggles. GENERAL HYGIENE MEASURES Wash thoroughly after handling.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance Physical State: Liquid
Property Value At Temperature or Pressure
Molecular Weight 198,9900 AMU
pH N/A
BP/BP Range N/A
MP/MP Range N/A
Freezing Point N/A
Vapor Pressure N/A
Vapor Density N/A
Saturated Vapor Conc. N/A
Bulk Density N/A
Odor Threshold N/A

Volatile% N/A
VOC Content N/A
Water Content N/A
Solvent Content N/A
Evaporation Rate N/A
Viscosity N/A
Surface Tension N/A
Partition Coefficient N/A
Decomposition Temp. N/A

Flash Point N/A
Explosion Limits N/A
Flammability N/A
Autoignition Temp N/A
Refractive Index N/A

Optical Rotation N/A Miscellaneous Data N/A

Solubility N/A N/A = not available

### **SECTION 10. STABILITY AND REACTIVITY**

STABILITY Stable: Stable.

Conditions to Avoid: Catches fire if exposed to air. Do not allow

water to enter container because of violent reaction.

Materials to Avoid: Strong oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

HAZARDOUS POLYMERIZATION
Hazardous Polymerization: Will not occur

### **SECTION 11. TOXICOLOGICAL INFORMATION**

ROUTE OF EXPOSURE

Skin Contact: May cause skin irritation.

Skin Absorption: May be harmful if absorbed through the skin.

Eye Contact: May cause eye irritation.

Inhalation: Material may be irritating to mucous membranes and

upper respiratory tract. May be harmful if inhaled.

Ingestion: May be harmful if swallowed. SIGNS AND SYMPTOMS OF EXPOSURE

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12. ECOLOGICAL INFORMATION**

No data available.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state, and local environmental regulations.

## **SECTION 14. TRANSPORT INFORMATION**

DOT

Proper Shipping Name: Organometallic substance,

liquid, pyrophoric, water-reactive

UN#: 3394 Class: 4.2

Packing Group: Packing Group I

Hazard Label: Spontaneously combustible

Hazard Label: Dangerous when wet.

PIH: Not PIH

IATA

Proper Shipping Name: Organometallic substance,

liquid, pyrophoric, water-reactive

IATA UN Number: 3394 Hazard Class: 4.2 Packing Group: I

Not Allowed - Aircraft: FORBIDDEN Not Allowed - Aircraft: FORBIDDEN

## **SECTION 15. REGULATORY INFORMATION**

**EU ADDITIONAL CLASSIFICATION** 

Symbol of Danger: F

Indication of Danger: Highly Flammable.

R: 14/15-17

Risk Statements: Reacts violently with water, liberating extremely flammable gases. Spontaneously flammable in air.

S: 16-36/37/39-43

Safety Statements: Keep away from sources of ignition - no smoking. Wear suitable protective clothing, gloves, and eye/face protection. In case of fire, use dry powder. Never use water.

US CLASSIFICATION AND LABEL TEXT

Indication of Danger: Pyrophoric (USA) Highly Flammable (EU).

Risk Statements: Reacts violently with water, liberating

extremely flammable gases. Spontaneously flammable in air. Safety Statements: Keep away from sources of ignition - no

smoking. Wear suitable protective clothing, gloves, and eye/face protection. In case of fire, use dry powder. Never use water.

UNITED STATES REGULATORY INFORMATION

SARA LISTED: No

CANADA REGULATORY INFORMATION

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the MSDS contains all the information required by the CPR.

DSL: No NDSL: No

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.