

# SAFETY DATA SHEET

Date Printed: 04/29/2024 Date Revised: 01/15/2022

#### **SECTION 1. IDENTIFICATION**

Product Identifier: (5N) 99.999% Sodium Hexachloroplatinate(IV) Hexahydrate

Product Code: NA-CLPT6-05-C.6HYD

CAS Number: 19583-77-8

Relevant identified uses of the substance: Scientific research and development

Supplier details:

American Elements 10884 Weyburn Ave. Los Angeles, CA 90024 Tel: +1 310-208-0551 Fax: +1 310-208-0351 Emergency telephone number: +1 800-424-9300

## **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS06 Skull and crossbones Acute Tox. 3 H301 Toxic if swallowed. GHS08 Health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. GHS05 Corrosion Met. Corr.1 H290 May be corrosive to metals. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known. Label elements **GHS** label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS05 GHS06 GHS08 Signal word Danger Hazard statements H290 May be corrosive to metals. H301 Toxic if swallowed. H318 Causes serious eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. Precautionary statements P284 [In case of inadequate ventilation] wear respiratory protection. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D1B - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 2Flammability = 0Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical characterization: Substances CAS# Description: 19583-77-8 Sodium hexachloroplatinate(IV) hexahydrate Identification number(s): EC number: 240-983-5

#### **SECTION 4. FIRST AID MEASURES**

Description of first aid measures General information

Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eve contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed Toxic if swallowed. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Sodium oxide Hydrogen chloride (HCl) Platinum oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: Substance is not listed. PAC-2: Substance is not listed. PAC-3: Substance is not listed.

## **SECTION 7. HANDLING AND STORAGE**

Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Prevent formation of dust. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Store away from metals. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. **Control parameters** Components with limit values that require monitoring at the workplace: 19583-77-8 Sodium hexachloroplatinate(IV) hexahydrate (100.0%) PEL (USA) Long-term value: 0.002 mg/m<sup>3</sup> as Pt Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Tightly sealed goggles Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties **General Information** Appearance: Form: Crystalline Odor: Odorless Odor threshold: Not determined. pH-value: Not applicable. Change in condition Melting point/Melting range: 110 °C (230 °F) (anhyd) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flammability (solid, gaseous) Not determined. Ignition temperature: Not determined Decomposition temperature: Not determined Auto igniting: Not determined. Danger of explosion: Not determined. **Explosion limits:** Lower: Not determined Upper: Not determined Vapor pressure: Not applicable. Density at 20 °C (68 °F): 2.5 g/cm3 (20.863 lbs/gal) Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water at 15 °C (59 °F): 660 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity:

# SECTION 10. STABILITY AND REACTIVITY

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Metals Hazardous decomposition products: Sodium oxide Hydrogen chloride (HCl) Platinum oxide

# SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Toxic if swallowed. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: Causes serious eye damage. Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard:

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. **Bioaccumulative potential** No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

# SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

## **SECTION 14. TRANSPORT INFORMATION**

UN-Number DOT, IMDG, IATA UN3288 UN proper shipping name DOT Toxic solid, inorganic, n.o.s. (Sodium hexachloroplatinate(IV) hexahydrate) ADR 3288 Toxic solid, inorganic, n.o.s. (Sodium hexachloroplatinate(IV) hexahydrate) IMDG, IATA TOXIC SOLID, INORGANIC, N.O.S. (Sodium hexachloroplatinate(IV) hexahydrate) Transport hazard class(es) DOT Class 6.1 Toxic substances Label 6.1 ADR Class 6.1 (T5) Toxic substances Label 6.1 IMDG, IATA Class 6.1 Toxic substances Label 6.1 Packing group DOT, ADR, IMDG, IATA Ш Environmental hazards: Marine pollutant (IMDG): No Special precautions for user Warning: Toxic substances EMS Number: F-A,S-A Stowage Category А Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT **Quantity limitations** On passenger aircraft/rail: 100 kg On cargo aircraft only: 200 kg Marine Pollutant (DOT): No IMDG Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3288 TOXIC SOLID, INORGANIC, N.O.S. (SODIUM HEXACHLOROPLATINATE(IV) HEXAHYDRATE), 6.1, III

## **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture **GHS** label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS05 GHS06 GHS08 Signal word Danger Hazard statements H290 May be corrosive to metals. H301 Toxic if swallowed. H318 Causes serious eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. Precautionary statements P284 [In case of inadequate ventilation] wear respiratory protection. P261 Avoid breathing dust/fume/gas/mist/vapors/spray P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

## **16. OTHER INFORMATION**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.