

# SAFETY DATA SHEET

Date Printed: 05/28/2024

Date Revised: 01/15/2022

## SECTION 1. IDENTIFICATION

**Product Identifier:** (4N) 99.99% Titanium(IV) Tert-Butoxide

**Product Code:** TI-TBOX-04

**CAS Number:** 3087-39-6

**Relevant identified uses of the substance:** Scientific research and development

Supplier details:

American Elements  
10884 Weyburn Ave.  
Los Angeles, CA 90024  
Tel: +1 310-208-0551  
Fax: +1 310-208-0351  
Emergency telephone number:  
+1 800-424-9300

## SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids(Category 3), H226

Skin irritation(Category 2), H315

Eye irritation(Category 2A), H319

Specific target organ toxicity -single exposure(Category 3), Respiratory system, H335

GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H226

Flammable liquid and vapor.

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. -No smoking.

P233

Keep container tightly closed.

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242

Use only non-sparking tools.

P243

Take precautionary measures against static discharge.

P261

Avoid breathing dust/ fume/ gas/ mist/ Vapors/ spray.

P264

Wash skin thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303 + P361 + P353

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312

Call a POISON CENTER or doctor/ physician if you feel unwell.

P321

Specific treatment (see supplemental first aid instructions on this label).

P332 + P313

If skin irritation occurs: Get medical advice/ attention.

P337 + P313

If eye irritation persists: Get medical advice/ attention.

P362

Take off contaminated clothing and wash before reuse.

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P403 + P235

Store in a well-ventilated place. Keep cool.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC) or not covered by GHS-none

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Formula: C<sub>16</sub>H<sub>36</sub>O<sub>4</sub>Ti

Molecular weight: 340.32 g/mol

CAS-No.: 3087-39-6

EC-No.: 221-412-9

---

## SECTION 4. FIRST AID MEASURES

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special hazards arising from the substance or mixture

Carbon oxides, Titanium/titanium oxides

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing Vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of Vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Reference to other sections

For disposal see section 13.

---

## **SECTION 7. HANDLING AND STORAGE**

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of Vapor or mist.

Keep away from sources of ignition -No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.

Conditions for safe storage, including any incompatibilities

Store in cool place.

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Exposure to moisture

Store under inert gas.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

---

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

#### Appearance

Form: liquid

Colour: colourless

#### Odor

No data available

#### Odor Threshold

No data available

#### pH

No data available

#### Melting point/freezing point

No data available

#### Initial boiling point and boiling range

160 -165 °C (320 -329 °F) at 20 hPa (15 mmHg)

#### Flash point

47.2 °C (117.0 °F)-closed cup

#### Evaporation rate

No data available

#### Flammability (solid, gas)

No data available

#### Upper/lower flammability or explosive limits

No data available

#### Vapor pressure

43.00 hPa (32.25 mmHg) at 136 °C (277 °F)

#### Vapor density

No data available

#### Relative density

0.881 g/mL at 25 °C (77 °F)

#### Water solubility

No data available

#### Partition coefficient: n-octanol/water

No data available

#### Auto-ignition temperature

No data available

#### Decomposition temperature

No data available

#### Viscosity

No data available  
Explosive properties  
No data available  
Oxidizing properties  
No data available  
Other safety information  
No data available

---

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity  
No data available  
Chemical stability  
Stable under recommended storage conditions.  
Possibility of hazardous reactions  
No data available  
Conditions to avoid  
Heat, flames and sparks.  
Incompatible materials  
Strong oxidizing agents  
Hazardous decomposition products  
Other decomposition products-No data available  
In the event of fire: see section 5

---

## **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on toxicological effects  
Acute toxicity  
No data available  
Dermal: No data available  
No data available  
Skin corrosion/irritation  
No data available  
Serious eye damage/eye irritation  
No data available  
Respiratory or skin sensitisation  
No data available  
Germ cell mutagenicity  
No data available  
Carcinogenicity  
IARC:  
No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
ACGIH:  
No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.  
NTP:  
No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA:  
No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity -single exposure

Inhalation-May cause respiratory irritation.

Specific target organ toxicity -repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

---

## **SECTION 14. TRANSPORT INFORMATION**

DOT (US)

UN number: 1993

Class: 3

Packing group: III

Proper shipping name: Flammable liquids, n.o.s.(Titanium(4+) 2-methylpropan-2-olate)

Poison Inhalation Hazard: No

IMDG

UN number: 1993  
Class: 3  
Packing group: III  
EMS-No: F-E, S-E  
Proper shipping name: FLAMMABLE LIQUID, N.O.S.(Titanium(4+) 2-methylpropan-2-olate)  
IATA  
UN number: 1993  
Class: 3  
Packing group: III  
Proper shipping name: Flammable liquid, n.o.s.(Titanium(4+) 2-methylpropan-2-olate)

---

## SECTION 15. REGULATORY INFORMATION

### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know Components

Titanium(4+) 2-methylpropan-2-olate

CAS-No.

3087-39-6

### New Jersey Right To Know Components

Titanium(4+) 2-methylpropan-2-olate

CAS-No.

3087-39-6

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

---

## 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. American Elements shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. COPYRIGHT 1997-2022 AMERICAN ELEMENTS. LICENSED GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

---